


WelchAllyn® Ear Wash System

Quick Reference Guide


Initial Installation

- 1


Remove the faucet aerator.


- 2

Remove the paper tab from the snap aerator and add the Ear Wash System snap aerator (adapter if needed).


- 3


Push the black hose into the black port and push the blue hose into the blue port until snug.




Cleaning Procedure


- 1

Carefully grasp the pinna and administer the ear wax softener. (not required)


- 2

Attach the chamber to the sink by pushing down on the white ring at the top of the chamber and snapping onto faucet.






WelchAllyn® Ear Wash System

Quick Reference Guide


Initial Installation

- 1


Remove the faucet aerator.


- 2

Remove the paper tab from the snap aerator and add the Ear Wash System snap aerator (adapter if needed).


- 3


Push the black hose into the black port and push the blue hose into the blue port until snug.




Cleaning Procedure


- 1

Carefully grasp the pinna and administer the ear wax softener. (not required)


- 2

Attach the chamber to the sink by pushing down on the white ring at the top of the chamber and snapping onto faucet.






WelchAllyn® Ear Wash System

Quick Reference Guide


Initial Installation

- 1


Remove the faucet aerator.


- 2

Remove the paper tab from the snap aerator and add the Ear Wash System snap aerator (adapter if needed).


- 3


Push the black hose into the black port and push the blue hose into the blue port until snug.




Cleaning Procedure


- 1

Carefully grasp the pinna and administer the ear wax softener. (not required)


- 2

Attach the chamber to the sink by pushing down on the white ring at the top of the chamber and snapping onto faucet.






WelchAllyn® Ear Wash System

Quick Reference Guide


Initial Installation

- 1


Remove the faucet aerator.


- 2

Remove the paper tab from the snap aerator and add the Ear Wash System snap aerator (adapter if needed).


- 3


Push the black hose into the black port and push the blue hose into the blue port until snug.




Cleaning Procedure

- 1

Carefully grasp the pinna and administer the ear wax softener. (not required)



- 2

Attach the chamber to the sink by pushing down on the white ring at the top of the chamber and snapping onto faucet.




3

Turn the hot and cold water on full power. Adjust by turning the cold down until the water is warm. TIP: Hotter water is better.




5

Squeeze the Actuator (A) and begin irrigating the ear when the blue temperature sensor (B) changes to white.



7

Pull tab to remove the ear tip from the handle and dispose of properly.






The water chamber is designed for use ONLY with handle dated AFTER 02 (YEAR) 03 (MONTH)

Visit our website at www.earwash.welchallyn.com for more information.


4

Attach the ear tip to the handle. Verify the tab is on the top.




6

Rotating the handle during the procedure while holding the pinna encourages wax removal.




Always inspect the ear before attempting any irrigation. If perforation is suspected and the tympanic membrane is not visible, do not irrigate with this device.

Refer to page 2 of Operating Instruction Manual for further information.




For Safe Use

Plastic flow limiter must be in place for all aerators. See page 4 in manual.




3

Turn the hot and cold water on full power. Adjust by turning the cold down until the water is warm. TIP: Hotter water is better.




5

Squeeze the Actuator (A) and begin irrigating the ear when the blue temperature sensor (B) changes to white.



7

Pull tab to remove the ear tip from the handle and dispose of properly.






The water chamber is designed for use ONLY with handle dated AFTER 02 (YEAR) 03 (MONTH)

Visit our webbsite at www.earwash.welchallyn.com for more information.


4

Attach the ear tip to the handle. Verify the tab is on the top.




6

Rotating the handle during the procedure while holding the pinna encourages wax removal.




Always inspect the ear before attempting any irrigation. If perforation is suspected and the tympanic membrane is not visible, do not irrigate with this device.

Refer to page 2 of Operating Instruction Manual for further information.




For Safe Use

Plastic flow limiter must be in place for all aerators. See page 4 in manual.




3

Turn the hot and cold water on full power. Adjust by turning the cold down until the water is warm. TIP: Hotter water is better.




5


Squeeze the Actuator (A) and begin irrigating the ear when the blue temperature sensor (B) changes to white.



7

Pull tab to remove the ear tip from the handle and dispose of properly.






The water chamber is designed for use ONLY with handle dated AFTER 02 (YEAR) 03 (MONTH)

Visit our website at www.earwash.welchallyn.com for more information.


4

Attach the ear tip to the handle. Verify the tab is on the top.




6

Rotating the handle during the procedure while holding the pinna encourages wax removal.




Always inspect the ear before attempting any irrigation. If perforation is suspected and the tympanic membrane is not visible, do not irrigate with this device.

Refer to page 2 of Operating Instruction Manual for further information.




For Safe Use

Plastic flow limiter must be in place for all aerators. See page 4 in manual.




3

Turn the hot and cold water on full power. Adjust by turning the cold down until the water is warm. TIP: Hotter water is better.




5

Squeeze the Actuator (A) and begin irrigating the ear when the blue temperature sensor (B) changes to white.



7

Pull tab to remove the ear tip from the handle and dispose of properly.






The water chamber is designed for use ONLY with handle dated AFTER 02 (YEAR) 03 (MONTH)

Visit our website at www.earwash.welchallyn.com for more information


4

Attach the ear tip to the handle. Verify the tab is on the top.



6

Rotating the handle during the procedure while holding the pinna encourages wax removal.



Always inspect the ear before attempting any irrigation. If perforation is suspected and the tympanic membrane is not visible, do not irrigate with this device.

Refer to page 2 of Operating Instruction Manual for further information.



For Safe Use

Plastic flow limiter must be in place for all aerators. See page 4 in manual.

